3713 (769/203).CCLS. USPAT; USPAT	L Number	Hits	Search Text	DB	Time stamp
2 2138 (709/217).CCLS.				USPAT;	
2 2138 (709/217).CCLS.	1]	(102, 202, 1222		
18M TOB USPAT; US-RGPUB; USPAT; US-RGPUB; USPAT; US-RGPUB; EPO, JPO; DERMENT; IBM TOB USPAT; USPAT				EPO; JPO;	
2 2 2138 (709/217).CCLS. USPĀT; USPĀT				DERWENT;]
3 2080 (709/219).CCLS. COMPANDED				IBM_TDB	
2080 (709/219).CCLS.	2	2138	(709/217).CCLS.	USPAT;	2003/10/16 11:31
2080 (709/219).CCLS. DERWENT; IBM TOB USPAT; US-PGFUB; EPO; JPO; DERWENT; IBM TOB USPAT; US-PGFUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J					1 1
188 188					
1483 (709/219).CCLS. USPĀT; USP					
1483 (709/229).CCLS. US-PGPUB; EPG; JPG; DERWENT; IBM TDB USPAT; USPAC; US					/ /
1483 (709/229).CCLS.	3	2080	(709/219).CCLS.		2003/10/16 11:31
1483 (709/229).CCLS.					
1483 (709/229).CCLS. IBM_TDB USPAT, US-PGPUB; EPO; JPO; DERNENT; IBM_TDB USPAT, US					
1483 (709/229).CCLS. USPĀT; US-PGPUB; EPO; JPO; DERNENT; IBM TDB USPĀT; USPĀ	<u> </u>				
1649 (709/206).CCLS. US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; USPĀT			(E00 (000) GGI G		2002/10/16 11:31
1649 (709/206).CCLS.	4	1483	(709/229).CCLS.	The state of the s	2003/10/18 11.31
1649 (709/206).CCLS.					
1649 (709/206).CCLS. IBM_TDB USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM_TDB USPAT; U				1	
1649 (709/206).CCLS. US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US					
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB EPO; JPO; JPO;	_	1640	(709/206) CCLS		2003/10/16 11:32
September Sept	3	1049	(100) 200)	1	
Series S				1	
TBM TDB C003/10/16 11:32 C003/10/16 11:33 C]			1	
Section Sect				1	
1	6	890	(709/204).CCLS.	_	2003/10/16 11:32
7 4523 (((709/203).CCLS.) or ((709/217).CCLS.) or ((709/219).CCLS.) or ((709/219).CCLS.) or ((709/217).CCLS.) or ((709/203).CCLS.) or ((709/217).CCLS.) or (•		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	US-PGPUB;	
Time Tob				EPO; JPO;	
3				DERWENT;	
((709/219).CCLS.) or ((709/229).CCLS.) or ((709/206).CCLS.) or ((709/204).CCLS.)) and ((((709/203).CCLS.)) or ((709/217).CCLS.)) or ((709/219).CCLS.)) or ((709/204).CCLS.)) or ((709/206).CCLS.)) or ((709/204).CCLS.)) or ((709/206).CCLS.)) or ((709/204).CCLS.)) or ((709/206).CCLS.)) or ((709/204).CCLS.)) or ((709/206).CCLS.)) or ((709/207).CCLS.) or ((709/207).CCLS.)) or (IBM_TDB	
8 0 (((709/206).CCLS.) or ((709/204).CCLS.)) and (DERWENT; IBM_TDB USPAT; ((709/204).CCLS.) or ((709/229).CCLS.) or ((709/229).CCLS.) or ((709/206).CCLS.) or ((709/204).CCLS.)) and ((voice adj chat) same (count\$3 near4 (member\$1! or participant\$1 or client\$1! or terminal\$1!) near3 log\$4)) 9 0 ((((709/203).CCLS.) or ((709/229).CCLS.) or ((709/204).CCLS.)) and ((voice adj chat) same (count\$3 near4 (member\$1! or participant\$1 or client\$1! or terminal\$1!) near3 log\$4)) 10 2 (((709/203).CCLS.) or ((709/229).CCLS.) or ((709/204).CCLS.)) and (count\$3 near4 (member\$1! or participant\$1 or client\$1! or client\$1! or terminal\$1!) near3 log\$4)) 10 2 (((709/203).CCLS.) or ((709/221).CCLS.) or ((709/204).CCLS.)) and ((709/204).CCLS.)) and ((709/204).CCLS.) or ((709/204).CCLS.)) and ((709/204).CCLS.) or ((709/204).CCLS.)) and ((709/204).CCLS.)) and ((709/204).CCLS.) or ((709/204).CCLS.)) and ((709/204).CCLS.) or ((709/204).CCLS.)) and ((709/204).CCLS.)) and ((709/204).CCLS.) or ((709/204).CCLS.)) and ((709/204).CCLS.)) and ((709/204).CCLS.) or ((709/204).CCLS.)) and (member\$1! or participant\$1 or client\$1 or terminal\$1!) same log\$4) 13 138 ((((709/203).CCLS.) or ((709/204).CCLS.)) and (member\$1! or participant\$1 or client\$1! or terminal\$1!) same log\$4) (((709/206).CCLS.) or ((709/207).CCLS.) or ((709/209).CCLS.)) or ((709/209).CCLS.) or ((709/209).CCLS.)) or ((709/209).CCLS.	7	4523		USPAT;	2003/10/16 11:33
8 0 ((((709/203).CCLS.)) or ((709/217).CCLS.) or ((709/219).CCLS.)) or ((709/229).CCLS.) or ((709/229).CCLS.) or ((709/229).CCLS.) or ((709/229).CCLS.)) or ((709/203).CCLS.)) or ((709/217).CCLS.)) or ((709/217).CCLS.)) or ((709/219).CCLS.)) or ((709/219).CCLS.)) or ((709/229).CCLS.)) o			((709/219).CCLS.) or ((709/229).CCLS.) or		
Second Color			((709/206).CCLS.) or ((709/204).CCLS.)) and		
8 0 ((((709/203).CCLS.) or ((709/217).CCLS.) or ((709/219).CCLS.) or ((709/206).CCLS.) or ((709/204).CCLS.) or ((709/206).CCLS.) or ((709/204).CCLS.)) and (2(00000000000000000000000000000000000			@ad<19990921	1	
((709/219).CCLS.) or ((709/229).CCLS.) or ((709/206).CCLS.) or ((709/204).CCLS.)) and (adal-999921) and ((voice adj chat) same (count\$3 near4 (member\$1! or participant\$1 or client\$!1 or terminal\$1!) near3 log\$4)) 9					/ /
(709/206).CCLS.) or (709/204).CCLS.)) and	8	0			2003/10/16 11:36
@ad<19990921) and ((voice adj chat) same (count\$3 near4 (member\$1! or participant\$1 or client\$1! or terminal\$1!) near3 log\$4)) 0 ((((709/203).CCLS.) or ((709/217).CCLS.) or ((709/219).CCLS.) or ((709/229).CCLS.) or ((709/204).CCLS.)) and (ead<19990921) and ((voice adj chat) and (count\$3 near4 (member\$1! or participant\$1 or client\$1! or terminal\$1!) near3 log\$4)) 10 2 ((((709/203).CCLS.) or ((709/217).CCLS.) or ((709/219).CCLS.) or ((709/219).CCLS.) or ((709/221).CCLS.)) or ((709/204).CCLS.)) or ((709/204).CCLS.)) or ((709/204).CCLS.)) or ((709/204).CCLS.)) and (ead<19990921) and ((count\$3 near4 (member\$1! or participant\$1 or client\$1! or terminal\$1!) near3 log\$4)} 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			((709/219).CCLS.) or ((709/229).CCLS.) or		
Count\$3 near4 (member\$1! or participant\$1 or client\$!1 or terminal\$1!) near3 log\$4)					
or client\$!1 or terminal\$1!) near3 log\$4)) ((((709/203).CCLS.) or ((709/221).CCLS.) or ((709/219).CCLS.) or ((709/206).CCLS.) or ((709/204).CCLS.)) and ((count\$3 near4 (member\$!! or participant\$! or terminal\$1!) near3 log\$4)) 10 2 ((((709/203).CCLS.) or ((709/204).CCLS.)) and ((709/219).CCLS.) or ((709/219).CCLS.) or ((709/217).CCLS.) or ((709/204).CCLS.)) and ((count\$3 near4 (member\$!! or participant\$! or terminal\$1!) near3 log\$4)) 11 12 13 14 19 ((((709/203).CCLS.) or ((709/204).CCLS.)) or ((709/2			@ad<19990921) and ((voice adj chat) same		1
0 (((((709/203).CCLS.) or ((709/217).CCLS.) or ((709/219).CCLS.) or ((709/204).CCLS.) or ((709/204).CCLS.) or ((709/204).CCLS.)) and (Count\$3 near4 (member\$1! or participant\$1 or client\$!1 or terminal\$1!) near3 log\$4)) 10 2 ((((709/203).CCLS.) or ((709/217).CCLS.) or ((709/204).CCLS.)) or ((709/206).CCLS.) or ((709/204).CCLS.) or ((709/209)21) and ((count\$3 near4 (member\$1! or participant\$1 or client\$!1 or terminal\$1!) near3 log\$4)) 11 1 1 1			(counts near4 (members 1: or participants 1	TBM_TDB	
((709/219).CCLS.) or ((709/204).CCLS.) or ((709/204).CCLS.)) and ((200000000000000000000000000000000000			or clients:1 or terminals1:) hears rogs4;)	HICDAT.	2003/10/16 11:37
((709/206).CCLS.) or ((709/204).CCLS.)) and (@ad<19990921) and ((voice adj chat) and (count\$3 near4 (member\$1! or participant\$1 or client\$!1 or terminal\$!!) near3 log\$4))	9	١ ٠	((((//09/203).CCLS.) Of ((/09/21/).CCLS.) Of	-	2003/10/10 11.37
@ad<19990921) and ((voice adj chat) and (count\$3 near4 (member\$1! or participant\$1 or client\$!1 or terminal\$1!) near3 log\$4)) 10 2 ((((709/203).CCLS.) or ((709/229).CCLS.) or ((709/204).CCLS.)) or ((709/209).CCLS.)) or ((709/209).CCLS.)) or ((709/209).CCLS.)) and (ember\$1! or participant\$1 or client\$!1 or terminal\$1!) near3 log\$4)) 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
Count\$3 near4 (member\$1! or participant\$1 IBM_TDB Or client\$!1 or terminal\$!!) near3 log\$4) ((((709/203).CCLS.)) or ((709/217).CCLS.)) or ((709/219).CCLS.)) or ((709/204).CCLS.)) or ((709/206).CCLS.) or ((709/204).CCLS.)) and (PO; JPO; PGPUB; PO; JPO; PO; PO; PO; PO; PO; PO; PO; PO; PO;					
or client\$!! or terminal\$!!) near3 log\$4)) ((((709/203).CCLS.) or ((709/217).CCLS.) or (USPAT; (709/206).CCLS.) or (709/204).CCLS.) or (709/206).CLS.) or (709/204).CCLS.) or (709/206).CLS.) or (709/204).CCLS.) or (709/206).CLS.) or (709/204).CCLS.) or (709/206).CLS.) or (709/206).CCLS.) or (709/207).CCLS.) or (709/207).CCLS			(count\$3 near4 (member\$1! or participant\$1		
10 2 ((((709/203).CCLS.) or ((709/217).CCLS.) or ((709/219).CCLS.) or ((709/229).CCLS.) or (US-PGPUB; (709/206).CCLS.) or ((709/204).CCLS.)) and (member\$1! or participant\$1 or client\$!1 or terminal\$1!) near3 log\$4)) 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			or client\$!1 or terminal\$1!) near3 log\$4))		
((709/219).CCLS.) or ((709/229).CCLS.) or ((709/206).CCLS.) or ((709/204).CCLS.)) and (204.1990921) and ((count\$3 near4	10	2		USPAT;	2003/10/16 11:40
((709/206).CCLS.) or ((709/204).CCLS.)) and		l	((709/219).CCLS.) or ((709/229).CCLS.) or		
(member\$1! or participant\$1 or client\$!1 or terminal\$1!) near3 log\$4) USPAT			((709/206).CCLS.) or ((709/204).CCLS.)) and		
terminal\$1!) near3 log\$4)) 11				-	
11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				IBM_TDB	
12 1 1			terminal\$1!) near3 log\$4))		0000/10/15
14 19 ((((709/203).CCLS.) or ((709/217).CCLS.) or ((709/219).CCLS.) or ((709/229).CCLS.) or (USPAT; ((709/206).CCLS.) or ((709/204).CCLS.)) and (USPAT; (USPAT); ((709/206).CCLS.) or ((709/204).CCLS.)) and (USPAT); ((1709/203).CCLS.) or ((1709/204).CCLS.)) and (1709/206).CCLS.) or ((1709/204).CCLS.)) and (1909/202) and ((1709/204).CCLS.)) and (1909/202) and ((1709/204).CCLS.)) and (1909/202) and ((1709/204).CCLS.)) and ((1709/204).CCLS.)	1				
((709/219).CCLS.) or ((709/229).CCLS.) or US-PGPUB; ((709/206).CCLS.) or ((709/204).CCLS.)) and EPO; JPO; DERWENT; (member\$1! or participant\$1 or client\$!1 or terminal\$1!) same log\$4) 13		1	////===/=== /=== //=== /=== /		
((709/206).CCLS.) or ((709/204).CCLS.)) and Gad<19990921) and ((count\$3 near4 DERWENT; (member\$1! or participant\$1 or client\$!1 or terminal\$1!)) same log\$4) ((((709/203).CCLS.) or ((709/217).CCLS.) or ((709/219).CCLS.) or ((709/229).CCLS.) or US-PGPUB; ((709/206).CCLS.) or ((709/204).CCLS.)) and EPO; JPO; @ad<19990921) and ((count\$3 near4 DERWENT; (member\$1! or participant\$1 or client\$!1 or IBM_TDB	14	19	((((709/203).CCLS.) or ((709/217).CCLS.) or		2003/10/16 11:41
@ad<19990921) and ((count\$3 near4 DERWENT; (member\$1! or participant\$1 or client\$!1 or terminal\$1!)) same log\$4) 13			((709/219).CCLS.) or ((709/229).CCLS.) or		
(member\$1! or participant\$1 or client\$!1 or IBM_TDB terminal\$1!)) same log\$4) 138 ((((709/203).CCLS.) or ((709/217).CCLS.) or USPAT; ((709/219).CCLS.) or ((709/229).CCLS.) or US-PGPUB; ((709/206).CCLS.) or ((709/204).CCLS.)) and EPO; JPO; @ad<19990921) and ((count\$3 near4 DERWENT; (member\$1! or participant\$1 or client\$!1 or IBM_TDB					
terminal\$1!)) same log\$4) ((((709/203).CCLS.) or ((709/217).CCLS.) or USPAT; ((709/219).CCLS.) or ((709/229).CCLS.) or US-PGPUB; ((709/206).CCLS.) or ((709/204).CCLS.)) and EPO; JPO; @ad<19990921) and ((count\$3 near4 DERWENT; (member\$1! or participant\$1 or client\$!1 or IBM_TDB					
138 ((((709/203).CCLS.) or ((709/217).CCLS.) or USPAT; (709/219).CCLS.) or ((709/229).CCLS.) or US-PGPUB; (709/206).CCLS.) or ((709/204).CCLS.)) and EPO; JPO; @ad<19990921) and ((count\$3 near4 DERWENT; (member\$1! or participant\$1 or client\$!1 or IBM_TDB				15/1-156	
((709/219).CCLS.) or ((709/229).CCLS.) or US-PGPUB; ((709/206).CCLS.) or ((709/204).CCLS.)) and EPO; JPO; @ad<19990921) and ((count\$3 near4 DERWENT; (member\$1! or participant\$1 or client\$!1 or IBM_TDB	13	120	((((709/203), CCLS)) or ((709/217), CCLS) or	USPAT:	2003/10/16 11:46
((709/206).CCLS.) or ((709/204).CCLS.)) and EPO; JPO; @ad<19990921) and ((count\$3 near4 DERWENT; (member\$1! or participant\$1 or client\$!1 or IBM_TDB	13				
@ad<19990921) and ((count\$3 near4 DERWENT; (member\$1! or participant\$1 or client\$!1 or IBM_TDB					
(member\$1! or participant\$1 or client\$!1 or IBM_TDB					
				1	
,					

15	14	((((((709/203).CCLS.) or ((709/217).CCLS.) or	USPAT;	2003/10/16 11:47
		((709/219).CCLS.) or ((709/229).CCLS.) or	US-PGPUB;	
		((709/206).CCLS.) or ((709/204).CCLS.)) and	EPO; JPO;	
		@ad<19990921) and ((count\$3 near4	DERWENT;	
		(member\$1! or participant\$1 or client\$!1 or	IBM_TDB	
		terminal\$1!)))) and chat\$4		
_	4	UKIGAWA-KAZUNORI.in.	USPAT;	2003/10/15 09:17
			US-PGPUB;	
			EPO; JPO;	
'			DERWENT;	
		WILLIAM WITHOUT A	IBM_TDB USPAT;	2003/10/15 09:18
-	131	YAMASHITA-HIROKI.in.	US-PGPUB;	2003/10/13 09.18
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1342	YAMADA-AKIRA.in.	USPAT;	2003/10/15 09:22
	1312		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	122	(predetermin\$3 adj input) with count\$3	USPAT;	2003/10/15 09:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	· .
			IBM_TDB	0000/10/15 55 55
-	0	(USPAT;	2003/10/15 09:23
		709/203 and @ad<19990921	US-PGPUB;	
			EPO; JPO;	i
			DERWENT; IBM TDB	
	107	((predetermin\$3 adj input) with count\$3)	USPAT;	2003/10/15 09:43
-	107	and @ad<19990921	US-PGPUB;	2003/10/13 03.43
		and waderjjjjujer	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	5	((voice or sound or audio) with (level or	USPAT;	2003/10/15 10:15
	_	volume) with (count\$3 or add\$3 or enter\$3 or	US-PGPUB;	
		particip\$6) same chat\$4) and @ad<19990921	EPO; JPO;	
			DERWENT;	1
			IBM_TDB	0000/10/15 10 16
-	8	((voice or sound or audio) with (level or	USPAT;	2003/10/15 10:16
		volume) same (count\$3 or add\$3 or enter\$3 or	US-PGPUB; EPO; JPO;	
		particip\$6) same chat\$4) and @ad<19990921	DERWENT;	
	47	((voice or sound or audio) with (level or	IBM_TDB USPAT;	2003/10/15 10:28
_	4/	volume) same chat\$4) and @ad<19990921	US-PGPUB;	,,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2509		USPAT;	2003/10/15 10:56
		chat))) and @ad<19990921	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(count\$3 near3 (member or participant\$1!)	USPAT;	2003/10/15 10:29
		with ((chat adj room) or (voice chat))) and	US-PGPUB;	
		@ad<19990921	EPO; JPO;	
			DERWENT;	
	_	(sounted with (mombas on nonticipanted))	IBM_TDB USPAT;	2003/10/15 10:31
-	8	<pre>(count\$3 with (member or participant\$1!) with ((chat adj room) or (voice chat))) and</pre>	US-PGPUB;	2003/10/13 10:31
		with ((chat ad) room) or (voice chat))) and @ad<19990921	EPO; JPO;	
		GUU(1))0)21	DERWENT;	
			IBM TDB	
	633	((count\$3 or number\$3 or increas\$3 or	USPAT;	2003/10/15 10:32
		reduc\$3) with (member\$1! or participant\$1!)	US-PGPUB;	' '
		same ((chat adj room) or (voice chat))) and	EPO; JPO;	
		@ad<19990921	DERWENT;	
			IBM_TDB	

-	633		USPAT;	2003/10/15 10:33
		reduc\$3) with (member\$1! or participant\$1!) same ((chat adj room) or (voice chat))) and	US-PGPUB; EPO; JPO;	
		@ad<19990921	DERWENT;	
		600(1)))0)21	IBM TDB	
_	49	((count\$3 or number\$3 or increas\$3 or	USPAT;	2003/10/15 10:46
		reduc\$3) with (member\$1! or participant\$1!)	US-PGPUB;	
		same ((chat adj room) or (voice chat)))	EPO; JPO;	
		same ((level near3 (voice or sound or	DERWENT;	
		audio)) or loud\$3 or volume) and	IBM_TDB	
		@ad<19990921	USPAT;	2003/10/15 10:47
_	136916	(count\$3 or number\$3) near3 (input) and @ad<19990921	US-PGPUB:	2003/10/15 10:47
		WAUK19990921 	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
i -	190188	· · · · · · · · · · · · · · · · · · ·	USPAT;	2003/10/15 10:46
		@ad<19990921	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	(count\$3 or number\$3) near3 (input) same	USPAT;	2003/10/15 10:48
		((enter\$3 or log\$4) near3 (chat adj room))	US-PGPUB;	
		and @ad<19990921	EPO; JPO;	
			DERWENT;	
	9	(count\$3 or number\$3) near3 (input) and	IBM_TDB USPAT;	2003/10/15 13:11
_		((enter\$3 or log\$4 or join\$3) near3 (chat	US-PGPUB;	2003, 20, 13 13 . 11
		adj room)) and @ad<19990921	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	(((enter\$3 or log\$4 or join\$3) near3 (chat	USPAT;	2003/10/15 10:53
		adj room)) and (increas\$3 or loud\$3 or low\$3 or rai\$4 or high\$3 or reduc\$3) near3 (voice	US-PGPUB; EPO; JPO;	
		or volume or sound or noise or audio)) and	DERWENT;	
		@ad<19990921	IBM TDB	
_	0	709/203 and (count\$3 near3 input with ((chat	USPAT;	2003/10/15 10:57
		adj room) or (voice chat))) and @ad<19990921	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	1	709/203 and (count\$3 near3 input same ((chat	USPAT;	2003/10/15 10:59
	-	adj room) or (voice chat))) and @ad<19990921	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		700/202 and /	IBM_TDB	2002/10/15 10:50
-	40	709/203 and (count\$3 same (voice chat)) and @ad<19990921	USPAT; US-PGPUB;	2003/10/15 10:59
	1	944117770721	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	(count\$3 near4 input) same (provid\$3 adj	USPAT;	2003/10/15 13:14
	1	(information or output or data or content) near3 count near3 value) and @ad<19990921	US-PGPUB; EPO; JPO;	
		nears count nears varue) and @ad<19990921	DERWENT;	
			IBM TDB	
-	21	709/203 and (count\$3 near4 input) and	USPAT;	2003/10/15 15:22
		@ad<19990921	US-PGPUB;	
			EPO; JPO;	
İ			DERWENT; IBM TDB	
l _	130	((provid\$3 or output\$4 or transmit\$4) adj3	USPAT;	2003/10/15 15:28
	130	(data or information or content or message	US-PGPUB;	,,
		or voice or audio or sound or signal) near3	EPO; JPO;	
		corresponding near3 (value or attribute))	DERWENT;	
		and @ad<19990921	IBM_TDB	2002/10/15 15 21
-	260	((voice adj data) near4 (value or attribute)) and @ad<19990921	USPAT; US-PGPUB;	2003/10/15 15:31
		accilbace// and waucippy0221	EPO; JPO;	
			DERWENT;	
			IBM TDB	

	0	((voice or audio or sound) adj2	USPAT;	2003/10/15 15:32
		corresponding adj2 value adj2 count\$3) and	US-PGPUB;	
		@ad<19990921	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	41	((voice or audio or sound) adj4 value adj2	USPAT;	2003/10/15 15:33
		count\$3) and @ad<19990921	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("6253236").PN.	USPAT;	2003/10/16 11:30
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

	Inventor	s	С	P	2	3	4	5	Image Doc. Displayed	PT
11	Kevner, Gene D.	×							US 5956509	
12	Choquier, Philippe et al.	⊠							US 5951694	
13	Choquier, Philippe et al.	×							US 5774668	
14	Chater, John C. et al.	Ø							US 5598351	

	บ	1	Document	ID	Issue Date	Pages
11			US 5956509	A	19990921	53
12			US 5951694	A	19990914	31
13			US 5774668	A	19980630	32
14			US 5598351	A	19970128	18

	Title	Current OR	Current XRef	Retrieval Classif
11	System and method for performing remote requests with an on-line service network	709/330	709/203; 709/219	
12	Method of redirecting a client service session to a second application server without interrupting the session by forwarding service-specific information to the second server	714/15	709/203; 714/10; 714/4	
13	System for on-line service in which gateway computer uses service map which includes loading condition of servers broadcasted by application servers for load balancing	709/223	370/480; 709/105; 709/203; 709/207; 709/218; 709/227; 709/249	
14	Communication system	705/5	348/14.08; 709/206	

	บ	1	I	Ocument	ID	Issue Date	Pages
1			US	6449622	B1	20020910	45
2			US	6430607	B1	20020806	52
3			US	6345290	В1	20020205	18
4			us	6334141	B1	20011225	14
5			US		B1	20010904	21
6			US	6219045	B1	20010417	15
7			US	6144991	A	20001107	58
8			US	6058416	A	20000502	28
9			us	6029175	A	20000222	78
10			US	6014698	Α	20000111	21

	Title	Current OR	Current XRef	Retrieval Classif
1	System and methods for synchronizing datasets when dataset changes may be received out of order	707/201	707/10; 707/100; 707/202; 707/8; 709/204; 709/213; 709/221	
2	System and method for performing remote requests with an on-line service network	709/217	709/216; 709/219	
3	Chat system displaying attribute information, number of statements or amount of statements in registered channel	709/204	709/203; 709/206	
4	Distributed server for real-time collaboration	709/205	709/105; 709/106; 709/201; 709/203; 709/204	
5	Information storage and delivery over a computer network using centralized intelligence to monitor and control the information being delivered	709/224	705/14; 709/219; 715/501.1	
6	Scalable virtual world chat client-server system	345/757	345/850; 709/204	
7	System and method for managing interactions between users in a browser-based telecommunications network	709/205	345/733; 709/219; 709/310	,
8	Flexible state sharing and consistency mechanism for interactive applications	709/203	709/205; 709/315	
9	Automatic retrieval of changed files by a network software agent	707/104.1	707/10; 707/200; 707/201; 707/203; 709/202; 709/203	
10	System using first banner request that can not be blocked from reaching a server for accurately counting displays of banners on network terminals	709/224	709/217; 709/219	

	Inventor	s	С	P	2	3	4	5	Image Doc. Displayed	PT
1	LaRue, Chris et al.	×							US 6449622	
2	Kavner, Gene D.	☒							US 6430607	
3	Okada, Sumiyo et al.	⊠							US 6345290	
4	Varma, Pradeep et al.	⊠							US 6334141	
5	Griffiths, Michael John et al.	Ø							US 6286045	
6	Leahy, Dave et al.	⊠							US 6219045	
7	England, Paul	⊠							US 6144991	
8	Mukherjee, Bodhi et al.	⋈							US 6058416	
9	Chow, Yen-whei et al.								US 6029175	
10	Griffiths, Michael John	⊠							US 6014698	